

### **Gynecologic Ultrasound**


James M. Shwayder, MD, JD Professor and Chair Obstetrics and Gynecology University of Mississippi Medical Center Jackson, Mississippi Gynecologic Ultrasound


James M. Shwayder, MD, JD Disclosures: None


















# Timing • No suppression or irregular • At the end of menses • At the end of a withdrawal bleed • Suppression (LARC, OBCP, Depo-P) Menopausal patients • Timing of the study is not critical




































































### **Color flow Doppler**


- Typically flows around a leiomyoma
  Allows visualization of the anatomic location of flow
- Assists in identifying the primary vessel feeding the myoma
- Leiomyosarcoma may have bazaar flow pattern




# Adnexal Masses

### Infertility - Mass


32-year-old G0 presents for baseline ultrasound for ovulation induction.











# 26 y.o. G0P0

- Primary dysmenorrhea
- Dyspareunia
- Dyschezia
- Anteverted uterus fixed
- Fixed adnexa














# Uterine sliding sign Negative (no sliding)


Author	#	Sensitivity %	Specificity %	PPV %	NPV %	Accuracy %
Hudelist et al.	117	85	96	91	94	93.1
Reid et al.	100	83.3	97.1	92.6	93.2	93.0

Hudelist et al. Ultrasound Obstet Gynecol 2013;41:692-695. Reid et al. Ultrasound Obstet Gynecol 2013;41:685-691.













































## 28 y.o. G3P2012

- c/o cramping pain, worse with her menses
  BC: IUD x 1 year
  hCG: negative

- Exam
  - Uterus: Anteverted, normal size, with mild tenderness
    IUD strings not visible
    Adnexa: "right adnexal mass"

